

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5813019".pn. and (space or tab or (white adj space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:36
L2	0	"5813019".pn. and (tab or (white adj space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:45
L3	388	715/512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:36
L4	257	717/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:36
L5	929	703/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:36
L6	395	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:36
L7	515	717/140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:37
S1	2	"5813019".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:02
S2	2	"6502233".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:03
S3	5	(tool adj tip) and (vhdl or verilog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:04

S4	3	S3 and comment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:13
S5	4	"10064041"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:13
S6	1	"10/064041"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:32
S7	1	"6502233".pn. and comment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:43

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

(vhdl OR verilog) comment extract

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **62,600** for **(vhdl OR verilog) comment extract**. (0.40 seconds)HDL Inference and OptimizationA **VHDL** attribute or **Verilog** meta **comment** may also be used to control FSM ...The constraint can be globally set with the **Extract** RAM option in the Process ...toolbox.xilinx.com/docsan/3_1i/data/fise/xst/chap05/xst05004.htm - 15k - [Cached](#) - [Similar pages](#)Using Verilog-XL SimulatorIf any errors are found then correct them and **extract** the layout by Verify->**Extract**and click OK ... After the **comment** lines, make the file look like this: ...web.ecs.syr.edu/~anunezal/homepage/tools/verilogXL/verilogXLtutor.htm - 16k - [Cached](#) - [Similar pages](#)Icarus Verilog Plug-insThe file contains its **comments** a description of usage and limitations.

Download it from here: <ftp://icarus.com/pub/eda/verilog/plugin-ins/extract-hier/ > ...

www.icarus.com/eda/verilog/plugin-ins.html - 8k - [Cached](#) - [Similar pages](#)/bbs/pub/vfv: RE: PSL: Attributes for Verilog and SystemVerilogthe approach can be used in **Verilog**, **VHDL**, SystemC, etc. Agreed. In many respects,**Verilog**-2001 attributes are **comments**. They just ...www.eda.org/vfv/hm/1244.html - 12k - [Cached](#) - [Similar pages](#)Introduction to VHDL and MAX+plus IINote that **comments** in **VHDL** code can be inserted by adding -- **comment** here anywherein the ... **Extract** these files by double-clicking on the file's icon; ...www.cs.ucla.edu/Logic_Design/vhdlintro.html - 23k - [Cached](#) - [Similar pages](#)TwinText Overview - Source Code Documentation Tool - PTLogicaVBScript, **Verilog**, **VHDL**, Visual Basic, VB .NET ... Able to **extract comments** from

thousands of files and millions of lines of code; Able to work on either a ...

www.ptlogica.com/TwinText/overview.htm - 15k - [Cached](#) - [Similar pages](#)[PDF] VHDL for Verilog Designers

File Format: PDF/Adobe Acrobat

VHDL comments begin with --. • There is no **VHDL** block commenting. • **VHDL** constantis similar to **Verilog** parameter. • But its value cannot be changed without ...www.esperan.com/pdf/esperan_vhdl4verilog_tutorial.pdf - [Similar pages](#)[PDF] State machine design techniques for Verilog and VHDLFile Format: PDF/Adobe Acrobat - [View as HTML](#)synthetic **comments** in **Verilog**. (See Listing 1, Listing 3, and Listing 5 forexamples.) ... Coding the same machine in **Verilog** and **VHDL**. and using. **extract** ...www.trilobyte.com/pdf/golson_snug94.pdf - [Similar pages](#)[PDF] USING XML FOR VHDL MODEL REPRESENTATIONFile Format: PDF/Adobe Acrobat - [View as HTML](#)from either **Verilog** or **VHDL** and then expressed in. HXML. No model (=language)related information ... **comments** and tags to **extract** an API description of and ...www.ifip.org/con2000/icda2000/icda-16-4.pdf - [Similar pages](#)

Revision history for Perl extension Verilog::Language. The ...

For each **comment** that begins with at least two words, **Verilog::SigParser** calls back

... This allows for simple scripts to **extract** pins, module hierarchy, ...

search.cpan.org/src/WSNYDER/Verilog-Perl-2.340/Changes - 11k - [Cached](#) - [Similar pages](#)

Google Groups results for (vhdl OR verilog) comment extract



Dynamic Configuration Possibility in Modelsim ? - comp.lang.vhdl - Aug 28, 2003

verilog.el part 2/3 - comp.lang.verilog - Jul 20, 1992

Changes to the NetBSD Packages Collection in February ... - fa.netbsd.current-users - Mar 22, 2002

Goooooooooooooogle ▶

Result Page: **1** **2** **3** **4** **5** **6** **7** **8** **9** **10** **Next**

(vhdl OR verilog) comment extract

Search*

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "{vhdl<and>tool tip}<and>comment"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results set

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((vhdl<and>tool tip)<and>comment<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 >☐ Check to search only within this results set

» Key

Display Format:

[Citation](#)[Citation & Abstract](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((verilog<and>tool tip)<and>comment<in>metadata)"

Your search matched 0 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results set

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(verilog<and>comment)<and>code stream"

Your search matched 1 of 1314030 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(verilog<and>comment)<and>code stream

Search



Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard



view selected items

[Select All](#) [Deselect All](#)

1. Early evaluation for performance enhancement in phased logic

Reese, R.B.; Thornton, M.A.; Traver, C.; Hemmendinger, D.;
[Computer-Aided Design of Integrated Circuits and Systems](#). [IEEE Transactions on](#)
Volume 24, Issue 4, April 2005 Page(s):532 - 550
Digital Object Identifier 10.1109/TCAD.2005.844084

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(784 KB) IEEE JNL
[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

IEEE Xplore
RELEASE 2.1[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "'((vhdl<and>comment)<and>code stream<in>metadata)'"

Your search matched 0 documents.

 e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search >☐ Check to search only within this results set

» Key

Display Format:

[Citation](#)[Citation & Abstract](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard


No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

[Sign in](#)



Web

Did you mean: (vhdl OR verilog) comment "code stream" "***tooltip***"

No standard web pages containing all your search terms were found.

Your search - **(vhdl OR verilog) comment "code stream" "tool tip"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)
 [Advanced Search](#)
[Preferences](#)

Web

Results 1 - 2 of 2 for **(vhdl OR verilog) comment "code stream" "tooltip"**. (0.44 seconds)

Tip: Try removing quotes from your search to get more results.

<ftp.xemacs.org/pub/xemacs/xemacs-21.5/xemacs-21.5....>

File Format: Unrecognized - [View as HTML](#)

Supplemental Result - [Similar pages](#)

<ftp.cae.tntech.edu/pub/xemacs/beta/xemacs-21.5.9-2...> - [[Translate this page](#)]

2229k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google